IN THE CLAIMS:

Please amend the claims to have the status and content indicated in the following listing of claims, wherein any cancellation of claims is made without prejudice.

- 1. (currently amended) Composition suitable as a substitute for plasma comprising a solution of saline in a physiologically acceptable concentration and a protein having a colloid osmotic function wherein the protein having a colloid osmotic function is a recombinant gelatin-like protein with a molecular weight of from at least 10,000 Daltons to at most 50,000 Daltons, and has an isoelectric point of less than 8 and is not crosslinked by chemical modification.
- 2. (currently amended) Composition suitable as a substitute for plasma comprising a solution of saline in a physiologically acceptable concentration and a protein having a colloid osmotic function wherein the protein having a colloid osmotic function is a dimer or a trimer or a tetramer of a recombinant gelatin-like protein monomer, the protein monomer having with a molecular weight of from at least 10,000 Daltons to at most 50,000 Daltons and has an isoelectric point of less than 8 and wherein said monomer, dimer, trimer or tetramer is not crosslinked by chemical modification.
- 3. (currently amended) Composition according to claim 1wherein the recombinant gelatin-like protein monomer has a molecular weight of from at least 15,000 Daltons to at most 25,000 Daltons.
- (currently amended) Composition according to claim 1 wherein the recombinant gelatin-like protein has an isoelectric point of from at least 4 to at most 7.
- 5. (original) Composition according to claim 1 wherein the number of negatively charged amino acid residues at pH 8 in the recombinant gelatin-like protein, minus the

Nov-17-04

number of positively charged amino acid residues at pH 8 in the recombinant gelatin-like protein is at least 2, preferably at least 3.

- (currently amended) Composition according to claim 1 wherein said recombinant gelatin-like protein is a human gelatin-like protein.
- 7. (original) Composition according to claim 1 wherein the recombinant gelatin-like protein with an isoelectric point of less than 8 is obtained by replacement of glutamine by glutamic acid and/or replacement of asparagine by aspartic acid.
- 8. (original) Composition according to claim 1 wherein said recombinant gelatinlike protein comprises the amino acid sequence of SEQ ID NO: 1 or SEQ ID NO: 4.
- 9. (currently amended) A process for using providing a plasma expander comprising utilizing a recombinant gelatin-like protein with a molecular weight of from at least 10,000 Daltons to at most 50,000 Daltons as plasma expander, said recombinant gelatin-like protein having an isoelectric point of less than 8 wherein said protein is not crosslinked by chemical modification.
- 10. (currently amended) A process for using providing a plasma expander comprising utilizing a dimer or a trimer or a tetramer of a recombinant gelatin-like protein with a molecular weight from at least 10,000 Daltons to at most 50,000 Daltons as plasma expander, said recombinant gelatin-like protein having an isoelectric point of less than 8 and wherein said protein is not crosslinked by chemical modification.
- 11. (currently amended) The process according to claim 9 in which wherein the recombinant gelatin-like protein has a molecular weight of from at least 15,000 Daltons to at most 25,000 Daltons.

- 12. (currently amended) The process according to claim 9 in which wherein the recombinant gelatin-like protein has an isoelectric point of from at least 4 to at most 7.
- 13. (currently amended) The process according to claim 9 wherein the number of negatively charged amino acid residues at pH 8 in the recombinant gelatin-like protein minus the number of positively charged amino acid residues at pH 8 in the recombinant gelatin-like protein is at least 2, preferably optionally at least 3.
- 14. (currently amended) The process according to claim 9 in which wherein the recombinant gelatin-like protein is a human gelatin-like protein.
- 15. (currently amended) The process according to claim 9 in which wherein the recombinant gelatin-like protein comprises the amino acid sequence of SEQ ID NO: 1 or SEQ ID NO: 4.
- 16. (new) Composition according to claim 1 wherein said recombinant gelatin-like protein comprises the amino acid sequence of SEQ ID NO: 2 or SEQ ID NO: 3.
- 17. (new) Composition according to claim 2 wherein said recombinant gelatin-like protein comprises the amino acid sequence of SEQ ID NO: 2 or SEQ ID NO: 3.
- 18. (new) Composition according to claim 2 wherein the recombinant gelatin-like protein monomer has a molecular weight of from at least 15,000 Daltons to at most 25,000 Daltons.
- 19. (new) Composition according to claim 2 wherein the recombinant gelatin-like protein has an isoelectric point of from at least 4 to at most 7.

- 20. (new) Composition according to claim 2 wherein the number of negatively charged aminoacid residues at pH 8 in the recombinant gelatin-like protein, minus the number of positively charged amino acid residues at pH 8 in the recombinant gelatin-like protein is at least 2, preferably at least 3.
- 21. (new) Composition according to claim 2 wherein said recombinant gelatin-like protein is a human gelatin-like protein.
- 22. (new) Composition according to claim 2 wherein the recombinant gelatin-like protein with an isoelectric point of less than 8 is obtained by replacement of glutamine by glutamic acid and/or replacement of asparagine by aspartic acid.
- 23. (new) Composition according to claim 2 wherein said recombinant gelatin-like protein comprises the amino acid sequence of SEQ ID NO: 1 or SEQ ID NO: 4.
- 24. (new) The process according to claim 10 wherein the recombinant gelatin-like protein has a molecular weight of from at least 15,000 Daltons to at most 25,000 Daltons.
- 25. (new) The process according to claim 10 wherein the recombinant gelatin-like protein has an isoelectric point of from at least 4 to at most 7.
- 26. (new) The process according to claim 10 wherein the number of negatively charged amino acid residues at pH 8 in the recombinant gelatin-like protein minus the number of positively charged amino acid residues at pH 8 in the recombinant gelatin-like protein is at least 2, optionally at least 3.
- 27. (new) The process according to claim 10 wherein the recombinant gelatin-like protein is a human gelatin-like protein.

- 28. (new) The process according to claim 10 wherein the recombinant gelatin-like protein comprises the amino acid sequence of SEQ ID NO: 1 or SEQ ID NO: 4.
- 29. (new) The process according to claim 9 in which the recombinant gelatin-like protein comprises the amino acid sequence of SEQ ID NO: 2 or SEQ ID NO: 3.
- 30. (new) The process according to claim 10 in which the recombinant gelatin-like protein comprises the amino acid sequence of SEQ ID NO: 2 or SEQ ID NO: 3.